ELSEVIER

International Journal of Mass Spectrometry 197 (2000) 299

Author index

Barnett, D.A., 123, 163
Becker, J.S., 1
Becker, K., 37
Belshaw, N.S., 191
Blanksby, S.J., 105
Brock, A., 71

Cappa, C.D., 219
Cedeño, D.L., 71
Chusuei, C.C., 149

De Bièvre, P., 131
De Laeter, J.R., 253
Deutsch, H., 37
Dietze, H.-J., 1
Ding, T., 131
Douglas, D.J., 113
Du, Z., 113

Elrod, M.J., 219

Fell, L.M., 105
Fisher, K.J., 95

Gaucher, S.P., 139
Glebova, T., 113
Gonfiantini, R., 131
Goodman, D.W., 149
Guevremont, R., 123, 163
Guo, Y., 191

Hildenbrand, D.L., 237

Igarashi, M., 243
Ishihara, M., 179

Jackson, P., 95

Kipphardt, H., 131
Konenkov, N.V., 113
Kramers, J.D., 85

Leary, J.A., 139
Lockyer, N.P., 197

MacPherson, K.A., 281
Manzanares I., C., 71
March, R. E., 281
Märk, T.D., 37
Matsuo, T., 179
Matt, S., 37
Menon, A.G., 263
Mercer, R.S., 281
Messer, B.M., 219

Nägler, T.F., 85
Nibbering, N.M.M., 211

O'Nions, R.K., 191

Platzner, I., 279
Plomley, J.B., 281
Purves, R.W., 123, 163

Quetel, C., 131

Reiner, E.J., 281

Santiago, V., 149
Schoenberg, R., 85
Scholtens, K.W., 219
Schröder, D., 105
Schwarz, H., 105
Schweikert, E.A., 149
Sevugarajan, S., 263
Splendore, M., 281
Srinivas, R., 105
Stielstra, D.E., 219

Tachikawa, H., 243
Taylor, P.D.P., 131
Terlouw, J.K., 105
Toyoda, M., 179

Valkiers, S., 131
van Amerom, F.H.W., 211
van der Hart, W.J., 211
van Duijn, D., 211
Van Stipdonk, M.J., 149
Vickerman, J.C., 197
Viehland, L.A., 123
Vivekananda, S., 105

Waddell, D.S., 281
Wieser, M.E., 253
Willett, G.D., 95

Zhu, X.K., 191

ELSEVIER

International Journal of Mass Spectrometry 197 (2000) 301–304

International Journal of Mass Spectrometry

Subject index

Ab initio trajectory
Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243
Absolute isotope amount ratio
The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131
Archaeology
Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279

Boron hydroxide
Generation and characterization of ionic and neutral dihydroxy boron $B(OH)_2^+/O$ in the gas phase, 105
Bracketing
Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Catalysis
Some reactions and thermochemistry of NbO_3^-: oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95
Chemical damage
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149
Chemical ionization
Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219
Cluster ions
Generation of metal-ligand cluster ion beams through pulsed discharge ionization and ablation, 71
Computational studies
Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219
Copper
Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279
Cross section calculations
Theoretical determination of absolute electron-impact ionization cross sections of molecules, 37

Dihydroxyborinium ions
Generation and characterization of ionic and neutral dihydroxy boron $B(OH)_2^+/O$ in the gas phase, 105
Dioxins
Erratum to "A comparison of three mass spectrometric methods for the determination of dioxins/furans," 281
Duffing equation
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263

Electron detachment
Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243
Electron-impact ionization
Electron impact ionization energies, 237
Theoretical determination of absolute electron-impact ionization cross sections of molecules, 37
Electron transfer
Generation and characterization of ionic and neutral dihydroxy boron $B(OH)_2^+/O$ in the gas phase, 105
Electrospray ionization
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163

FAIMS
Comparison of high-field ion mobility obtained from drift tubes and a FAIMS apparatus, 123
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163
Fe-isotopes
High precision measurement of iron isotopes by plasma source mass spectrometry, 191

Femtosecond pulses
Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197
Fourier transform ion cyclotron resonance (FTICR)
Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211
Some reactions and thermochemistry of NbO_3^-: oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95
Fractionation
Thermal ionization mass spectrometry of molybdenum isotopes, 253
Frequencies
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263
Peak structure with a quadrupole mass filter operated in the third stability region, 113
Furans
Erratum to "A comparison of three mass spectrometric methods for the determination of dioxins/furans," 281

G2 calculations
Generation and characterization of ionic and neutral dihydroxy boron $B(OH)_2^+/O$ in the gas phase, 105
Geochemistry
Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279

H_3O^-
Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243

Indene radical cation
Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211
Inorganic mass spectrometry
Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1
Ion formation
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149
Ionization energies
Electron impact ionization energies, 237
Ion mobility
Comparison of high-field ion mobility obtained from drift tubes and a FAIMS apparatus, 123
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163
Ion-molecule reactions
Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211
Some reactions and thermochemistry of NbO_3^-: oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95
Ion optics
Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179
Isotope analysis
Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1
Isotope measurements
Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279
Precise Os isotope ratio and Re-Os isotope dilution measurements down to the picogram level using multi-collector inductively coupled plasma mass spectrometry, 85
Isotopic composition
Thermal ionization mass spectrometry of molybdenum isotopes, 253

Kinetics
Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219

Light-induced proton transfer
Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Mass spectrometry
Erratum to "A comparison of three mass spectrometric methods for the determination of dioxins/furans," 281
Generation and characterization of ionic and neutral dihydroxy boron $B(OH)_2^+/O$ in the gas phase, 105
The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131
Thermal ionization mass spectrometry of molybdenum isotopes, 253
Metal oxide anions
Some reactions and thermochemistry of NbO_3^-: oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95

Molecules
Theoretical determination of absolute electron-impact ionization cross sections of molecules, 37
Molybdenites
Thermal ionization mass spectrometry of molybdenum isotopes, 253
Molybdenum
Thermal ionization mass spectrometry of molybdenum isotopes, 253
Multicollector inductively coupled plasma mass spectrometry (MC-ICP-MS)
Precise Os isotope ratio and Re-Os isotope dilution measurements down to the picogram level using multicollector inductively coupled plasma mass spectrometry, 85
Multiturn
Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179

Nonlinear traps
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263

Peak shape
Peak structure with a quadrupole mass filter operated in the third stability region, 113
Peak structure
Peak structure with a quadrupole mass filter operated in the third stability region, 113
Perfect focusing
Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179
Peroxides
Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219
Perturbed secular frequency
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263
Photoelectron spectroscopy
Electron impact ionization energies, 237
Photofragmentation
Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197
Photoionisation
Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197
Plasma source mass spectrometry
High precision measurement of iron isotopes by plasma source mass spectrometry, 191
Polyatomic primary ions
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149
Protein conformation
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163
Pulsed discharge
Generation of metal-ligand cluster ion beams through pulsed discharge ionization and ablation, 71

Quadrupole ion trap
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
Quadrupole mass filter
Peak structure with a quadrupole mass filter operated in the third stability region, 113

Reaction dynamics
Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243
Re-Os
Precise Os isotope ratio and Re-Os isotope dilution measurements down to the picogram level using multicollector inductively coupled plasma mass spectrometry, 85

Saccharide
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
Secondary ion mass spectrometry
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163
Space charge
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263
Stable isotopes
High precision measurement of iron isotopes by plasma source mass spectrometry, 191
Stereochemistry
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139

Sulfur
The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131
Sulfur hexafluoride
The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131
Surface studies
Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1
Synthetic isotope mixtures
The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131

Thermodynamics
Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219
Third stability region
Peak structure with a quadrupole mass filter operated in the third stability region, 113
Time-of-flight mass spectrometry (TIMS)
Comment on: ''Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry,'' 279
Generation of metal-ligand cluster ion beams through pulsed discharge ionization and ablation, 71
Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179
Trace analysis
Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1
Transition metal
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
Two-photon dissociation
Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Ubiquitin
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163

Vacuum ultraviolet
Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197

Yield enhancements
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149